POPULATION ESTIMATES	LONG-TERM CARE	LOCAL HEALTH DEPARTMENTS
Total 2001 Population 34,13	i MΔ Waiver Programs	
Population per square mile 5 County ranking in state (1-72) 3	i	i Chaffing ETE Number Depulation i
Age Female Male Tota	Clients Costs   COP	Total staff 9 2.7   Administrative 2 0.6   Professional staff 4 1.2   Technical/Paraprof. 1 0.3   Support staff 2 0.5
0-14	CIPIA 8 \$392,122   CIP1B 39 \$669,995   CIP2 83 \$761,065	Support staff 2 0.5
30-34 1,150 1,080 2,23	COP-W 69 \$335,254   CSLA . \$0	Funding
35-39     1,410     1,460     2,87       40-44     1,450     1,500     2,96       45-54     2,360     2,480     4,84	Total COP/Wvrs	Local Taxes \$92,549 \$2.73     LICENSED ESTABLISHMENTS
55-64 1,510 1,480 2,98	\$120,163 of the above waiver costs	
65-74	using COP funds. This amount is	Type Capacity Facilities   Bed & Breakfast 56 17   Camps 515 7   Hotels, Motels 304 10   Tourist Rooming 10 4   Pools
Total 17,320 16,780 34,13		Hotels, Motels 304 10     Tourist Rooming 10 4
Age	include federal funding.	Restaurants 36
18-44	Eligible and	Vending 0   
65+ 3,010 2,010 5,03   Total 17,320 16,780 34,13		   WIC PARTICIPANTS
Poverty Estimates for 2000 Estimate (C.I.+/-		
All ages 1,727 13	   Note: Eligible and waiting clients	Pregnant/Postpartum 115
5.1% (8%)	will be phased into the COP and MA	Infants
Ages 0-17 460 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	Note: Eligible and waiting clients will be phased into the COP and MA Waivers as available.	Total 462
EMPLOYMENT		CANCER INCIDENCE
Average wage for jobs covered  by unemployment compensation \$24,68  Note: based on place of work	Patients per 10,000 pop. 90	1999     Primary Site Number
Annua  Labor Force Estimates Averag	Nursing Homes 3	Breast 28     Cervical 8     Colorectal 32
Civilian Labor Force 18,22 Number employed 17,35	Occupancy rate	Trachea, Bronchus, Lung 16   Prostate 13
Number unemployed 87   Unemployment rate 4.	Residents age 65 or older %   per 1,000 population 50 	Other sites 67     Total 164   

			NATA	LITY				
TOTAL LIVE BIRTHS		397	Birth Order		Percent	Marital Status		
TOTAL LITE BIKING		33,	First	160	40		Births	Percent
Crude Live Birth Rate		11.6	Second	160 126	32	Married	300	76
General Fertility Rat	0	58.0	Third	61	15	Not married		24
delieral Fertility Kat	e	30.0	IIIIIU Fourth or bigbor	0.1	13		97	24 0
1 4			Second Third Fourth or higher Unknown	50	13	Unknown	U	9
Live births with repo congenital anomalies	rtea	7 4 00/	UNKNOWN	U	U			
congenital anomalies		/ 1.8%				Education		
			First Prenatal		_		Births	Percent
Delivery Type	Births	Percent	Visit	Births	Percent	Elementary or les	s 5	1
Vaginal after			1st trimester	353	89	Some high school	42	11
previous cesarean	20	5	2nd trimester	35	9	High school	144	36
Earconc		7	3rd trimester	5	1	Some college	112	28
Other vaginal	271	68	2nd trimester 3rd trimester No visits Unknown	2	1	College graduate	94	24
Primary cesarean	71	18	Unknown	2	$\bar{1}$	Unknown	0	0
Repeat cesarean	271 71 29	7	• · · · · · · · · · · · · · · · · · · ·	_	-	• · · · · · · · · · · · · · · · · · · ·	ŭ	ŭ
Other or unknown	29 0	Ó	Number of Prenatal			Smoking Status		
other of unknown	U	U			Percent	of Mother	Births	Percent
Pirthuoight	Dirtho	Percent		2		Smoker	7 <i>6</i>	
Birthweight	DILLIIS	rercent	No visits		1	Smoker	76 221	19
<1,500 gm	6	1.5	1-4	5	1	Nonsmoker		81
1,500-2,499 gm	19	4.8	5-9	46	12	Unknown	Θ	0
2,500+ gm	372	93.7	10-12	166	42			
<1,500 gm 1,500-2,499 gm 2,500+ gm Unknown	0	0	13+	178	45			
			Unknown	Θ	0			
						or of Eirst Propatal	 Vici+	
						er of First Prenatal	Visit	 (Unknown
Daga of Mather	Distbs [					er of First Prenatal 2nd Trimester	Visit Other/	·  'Unknown
Daga of Mather	Distbs [					er of First Prenatal 2nd Trimester Births Percent	Visit Other/ Births	Unknown Percent
Race of Mother White	Births F	Percent				er of First Prenatal 2nd Trimester Births Percent 34 9	Visit Other/ Births 9	Unknown Percent 2
Race of Mother White Black	Births F 393 1	Percent 99 <.5	Low Birthweight (under 2,500 gm) Births Percent 25 6.4	1st Tr Births 350 *		er of First Prenatal 2nd Trimester Births Percent 34 9	Visit Other/ Births 9	Unknown Percent 2
Race of Mother White Black Other	Births F 393 1 3	Percent 99 <.5 1				er of First Prenatal 2nd Trimester Births Percent 34 9 * .	Visit Other/ Births 9 *	Unknown Percent 2 .
Race of Mother White Black Other Unknown	Births F 393 1 3 0	Percent 99 <.5	Low Birthweight (under 2,500 gm) Births Percent 25 6.4  *	1st Tr Births 350 *		*	Visit Other/ Births 9 *	Unknown Percent 2 .
Race of Mother White Black Other Unknown	Births F 393 1 3 0	Percent 99 <.5 1 0	Low Birthweight (under 2,500 gm) Births Percent 25 6.4  *	1st Tr Births 350 * *	Trimest imester Percent 89	* . 	*  Visit	: ·
Race of Mother White Black Other Unknown	Births F 393 1 3 0	Percent 99 <.5 1 0	Low Birthweight (under 2,500 gm) Births Percent 25 6.4  *  *  Low Birthweight (under 2,500 gm)	1st Tr Births 350 * *	Trimest imester Percent 89 Trimest	* .  er of First Prenatal 2nd Trimester	* 	 'Unknown
Race of Mother White Black Other Unknown	Births F 393 1 3 0	Percent 99 <.5 1 0	Low Birthweight (under 2,500 gm) Births Percent 25 6.4  *  *  Low Birthweight (under 2,500 gm)	1st Tr Births 350 * *	Trimest imester Percent 89 Trimest	* .  er of First Prenatal 2nd Trimester	* 	: ·
Race of Mother White Black Other Unknown	Births F 393 1 3 0	Percent 99 <.5 1 0	Low Birthweight (under 2,500 gm) Births Percent 25 6.4  *	1st Tr Births 350 * *	Trimest imester Percent 89	* . .er of First Prenatal 2nd Trimester Births Percent	* 	 'Unknown
Race of Mother White Black Other Unknown	Births F 393 1 3 0  Fe Births	Percent 99 <.5 1 0  ertility Rate 	Low Birthweight (under 2,500 gm) Births Percent 25 6.4  *  *  Low Birthweight (under 2,500 gm) Births Percent	1st Tr Births 350 * *	Trimest imester Percent 89 Trimest imester Percent	* .  er of First Prenatal 2nd Trimester	* 	 'Unknown
Race of Mother White Black Other Unknown	Births F 393 1 3 0 	Percent 99 <.5 1 0  ertility Rate  12	Low Birthweight (under 2,500 gm) Births Percent 25 6.4  *  *  Low Birthweight (under 2,500 gm)	1st Tr Births 350 * *	Trimest imester Percent 89 Trimest imester Percent . 100	* .  eer of First Prenatal 2nd Trimester Births Percent 	* 	Unknown Percent
Race of Mother White Black Other Unknown  Age of Mother <15 15-17 18-19	Births F 393 1 3 0 	Percent 99 <.5 1 0 	Low Birthweight (under 2,500 gm) Births Percent 25 6.4  * Low Birthweight (under 2,500 gm) Births Percent	1st Tr Births 350 * *	Trimest imester Percent 89 Trimest imester Percent . 100 90	* .  eer of First Prenatal 2nd Trimester Births Percent  2 10	Visit Other/ Births	Unknown Percent
Race of Mother White Black Other Unknown	Births F 393 1 3 0 	Percent 99 <.5 1 0 	Low Birthweight (under 2,500 gm) Births Percent 25 6.4  *  *  Low Birthweight (under 2,500 gm) Births Percent  1 10.0  6 6.1	1st Tr Births 350 * *	Trimest imester Percent 89 Trimest imester Percent . 100 90 83	* .  .er of First Prenatal 2nd Trimester Births Percent  2 10 14 14	Visit Other/ Births	
Race of Mother White Black Other Unknown  Age of Mother <15 15-17 18-19 20-24 25-29	Births F 393 1 3 0 	Percent 99 <.5 1 0 	Low Birthweight (under 2,500 gm) Births Percent 25 6.4  *  *  Low Birthweight (under 2,500 gm) Births Percent  1 10.0  6 6.1 9 8.3	1st Tr Births 350 * *	Trimest imester Percent 89 Trimest imester Percent . 100 90 83 92	* . er of First Prenatal 2nd Trimester Births Percent  2 10 14 14 8 7	Visit Other/ Births .	
Race of Mother White Black Other Unknown	Births F 393 1 30 0 	Percent 99 <.5 1 0 Pertility Rate 12 57 134 118 91	Low Birthweight (under 2,500 gm) Births Percent 25 6.4  *  *  Low Birthweight (under 2,500 gm) Births Percent  1 10.0  6 6.1 9 8.3 3 2.9	1st Tr Births 350 * *	Trimest imester Percent 89 Trimest imester Percent . 100 90 83 92 90	*	Visit Other/ Births 3	
Race of Mother White Black Other Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	Births F 393 1 30 0 	Percent 99 <.5 1 0 ertility Rate 12 57 134 118 91 28	Low Birthweight (under 2,500 gm) Births Percent 25 6.4  *  *  Low Birthweight (under 2,500 gm) Births Percent  1 10.0  6 6.1 9 8.3 3 2.9 3 7.5	1st Tr Births 350 * *	Trimest imester Percent 89 Trimest imester Percent . 100 90 83 92 90 90	*	Visit Other/ Births 3 1 1	
Race of Mother White Black Other Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	Births F 393 1 30 0 	Percent 99 <.5 1 0 ertility Rate 12 57 134 118 91 28 10	Low Birthweight (under 2,500 gm) Births Percent 25 6.4  *  *  Low Birthweight (under 2,500 gm) Births Percent  1 10.0  6 6.1 9 8.3 3 2.9	1st Tr Births 350 * *	Trimestimester Percent 89 Trimestimester Percent . 100 90 83 92 90 90 87	*	Visit Other/ Births 3	
Race of Mother White Black Other Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	Births F 393 1 30 0 	Percent 99 <.5 1 0 ertility Rate 12 57 134 118 91 28	Low Birthweight (under 2,500 gm) Births Percent 25 6.4  *  *  Low Birthweight (under 2,500 gm) Births Percent  1 10.0  6 6.1 9 8.3 3 2.9 3 7.5	1st Tr Births 350 * *	Trimest imester Percent 89 Trimest imester Percent . 100 90 83 92 90 90	*	Visit Other/ Births 3 1 1	
Race of Mother White Black Other Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	Births F 393 1 30 0 	Percent 99 <.5 1 0 ertility Rate 12 57 134 118 91 28 10	Low Birthweight (under 2,500 gm) Births Percent 25 6.4  *  *  Low Birthweight (under 2,500 gm) Births Percent  1 10.0  6 6.1 9 8.3 3 2.9 3 7.5 3 20.0 .	1st Tr Births 350 * *	Trimestimester Percent 89 Trimestimester Percent . 100 90 83 92 90 90 87 .	*	Visit Other/ Births 3 1 1	Unknown Percent

MORBIDITY			MO H	₹ ALI Y		
						1
İ	Note: Death rates (except infant) are per 100,000 population. Infant,   neonatal, and postneonatal death rates are per 1,000 live births.					
REPORTED* CASES OF SELECTED DISEASES	Perinatal and	l fetal de	eath rates	are per 1,000 live birt	ns nlus	i
I REPORTED CASES OF SELECTED DISEASES	fetal deaths	Patec	are not cal	culated for fewer than	0 deaths	ł
1	fetal deaths. Rates are not calculated for fewer than 20 deaths.					
Disabs	I TOTAL DEATHS		210	L Coloctod		ļ
Disease Number	TOTAL DEATHS Crude Death Ra		318	Selected	D	
Campylobacter Enteritis 32 Giardiasis <5	į Crude Death Ra	ate	931	Underlying Cause	veatns_ k	ate [
				Heart Disease (total)	72	211
Hepatitis Type A 0				Ischemic heart disea:	se 54	158
Hepatitis Type B** <5	Age	Deaths	Rate	Cancer (total)	72	211 j
Hepatitis NANB/C 8	i 1-4			Cancer (total)   Trachea/Bronchus/Lun	g 12	. İ
Legionnaire's 0	i 5-14			i Colorectal	8	. i
l Lyme 0	i 15-19	3		Colorectal   Female Breast	8	*
Measles 0	20-34	1		Cerebrovascular Diseas	se 35	102 i
Meningitis, Aseptic 0	35-54	28	262 262	Lower Resp. Disease	20	59 i
Meningitis, Macherial <5	55-64	20	973	Lower Resp. Disease   Pneumonia & Influenza	13	ا
	1 65-74	43	1,789	Accidents	11	. !
Mumps 0   Pertussis <5	75-84	43 95	I,/09			.
Pertussis	75-64	110	5,110	Motor vehicle	16	. !
Salmonellosis 18	85+	110	14,645	Diabetes	16	. !
Shigellosis <5				Infectious & Parasition	2 4	. !
Tuberculosis 0				Suicide	2	
	Infant					
* 2001 provisional data	Mortality	Deaths	Rate	* Rate for female brea		sed
<pre> ** Includes all positive HBsAg</pre>	Total Infant	6	•	on female popula	ation.	
l test results	l Neonatal	4		i i		Ì
į	i Postneonatal	2	•	ALCOHOL AND DRUG ABUS	AS UNDERLYI	NG İ
į	Mortality Total Infant Neonatal Postneonatal Unknown			OR CONTRIBUTING CA		i
Sexually Transmitted Disease				1		i
Chlamydia Trachomatis 40	Race of Mother			Alcohol		i
Genital Herpes 9	White	6		1 Other Drugs	ż	
Gonorrhea 13	Black	Ū		Alcohol   Other Drugs   Both Mentioned	,	.
Syphilis 0	l Other			i both helitioned	•	. !
j Sypiiitis	Unknown	•	•	   MOTOR VEHIC	E CDACHEC	ļ.
	I UIIKIIOWII	•	•	MOTOR VEHIC	LE CRASHES	!
	Distribution in the			 		
	Birthweight   <1,500 gm   1,500-2,499 gm   2,500+ gm   Unknown	_		Note: These data are		
IMMUNIZATIONS	<1,500 gm	3	•	of crash, not of	on residence.	ļ
	1,500-2,499 gm		•			
Children in Grades K-12 by	2,500+ gm	3		Type of Motor	Persons Per	sons
Compliance Level	Unknown		•	Type of Motor Vehicle Crash Total Crashes Alcohol-Related	Injured Ki	lled
Compliant 6,256				Total Crashes	319	7 İ
Non-compliant 86	j			i Alcohol-Related	52	3 İ
Compliant 6,256 Non-compliant 86 Percent Compliant 98.6	Perinatal			With Citation:	-	· i
	i Mortality	Deaths	Rate	I For OWT	37	0 İ
	Total Perinatal	1	· · · · · ·	For Speeding	58	ŏ i
	Neonatal	7 1	•	For Speeding Motorcyclist	17	3
] 	Total Perinatal Neonatal Fetal	7	•	Bicyclist	5	9
] 	l iciai	•	•	Pedestrian	3	1 1
<u> </u>	 			reuestrian	<b>.</b>	

Per Average Charge | Per Average Charge DISEASE / 1,000 Stay Average Per AGE GROUP Number Pop (Days) Charge Capita Alcohol-Related
Total 58 1.7 5.2 \$6,775
18-44 35 2.9 5.4 \$6,788
45-64 19 . . . Injury-Related: All Total 286 8.4 3.7 \$12,406 <18 33 3.7 2.5 \$8,215 18-44 83 6.8 3.1 \$12,724 45-64 47 6.0 4.3 \$14,800 65+ 123 24.5 4.1 \$12,401 \$104 \$11 \$30 \$19 \$38 Injury: Hip Fracture
Total 42 1.2 5.4 \$16,920 \$21
65+ 40 8.0 5.4 \$16,578 \$132 \$38 \$160 Injury: Poisonings
Total 33 1.0 1.9 \$5,557 \$5
18-44 18 . . . . . . Total 107 3.1 4.9 \$13,770 45-64 25 3.2 6.0 \$20,100 65+ 82 16.4 4.6 \$11,841 \$43 \$64 Psychiatric
Total 170 5.0 10.6 \$8,742 \$43
<18 27 3.0 18.0 \$12,015 \$36
18-44 96 7.8 7.9 \$6,389 \$50
45-64 33 4.2 11.8 \$10,475 \$44
65+ 14 . . . . . . Chronic Obstructive Pulmonary Disease Coronary Heart Disease Total 193 5.6 3.6 \$18,752 45-64 72 9.2 3.1 \$18,364 65+ 109 21.7 4.0 \$18,118 \$106 \$169 \$394 | Total Hospitalizations Total 3,925 114.9 3.9 \$9,381 \$1,078 <18 612 67.8 3.2 \$4,637 \$314 18-44 994 81.2 3.3 \$7,097 \$576 45-64 784 100.2 4.1 \$12,238 \$1,227 65+ 1,535 306.2 4.4 \$11,293 \$3,458 Malignant Neoplasms (Cancers): All ----- PREVENTABLE HOSPITALIZATIONS\* ------Neoplasms: Female Breast (rates for female population) Neoplasms: Colo-rectal Neoplasms: Lung Total 6 . . . . . \* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization. The definition of preventable hospitalizations in 2001 is consistent with the 1997 definition. Diabetes iabetes

Total 41 1.2 4.3 \$8,655 \$10 | is consistent with the 1997 definition.

65+ 19 . . . . | Please refer to the note at the bottom of this page in the 1997 report for an explanation of the change made between 1996 and 1997.